BRQ-IC

INLINE CIRCULATION

60 Hz



01 SINGLE STAGE

Inline circulation

02 VERTICAL MOTOR

Top-mounted arrangement

03 OPPOSED PORTS

Pipework connections

Single-stage inline circulation pumps with a vertical motor and opposed pipe connections. The arrangement supports installation within heating, cooling and water circulation systems.

APPLICATIONS

Heating circulation / Cooling circulation / Water circulation

RATED FLOW m³/h	RATED HEAD m	MOTOR kW
12.5–900	9–85	1.1–200

FREQUENCY

60 Hz

BRQ-IC / INLINE CIRCULATION

Selection data

60 Hz / Rated duty points

Model	Motor kW	Speed rpm	DN mm	Q m³/h	H m
BRQ-IC-125-14/4	7.5	1750		120	14
BRQ-IC-125-20/4	11	1750		120	20
BRQ-IC-125-28/4	18.5	1750		160	28
BRQ-IC-125-40/4	30	1750		160	40
BRQ-IC-150-12.5/4	11	1750		200	12.5
BRQ-IC-150-21/4	18.5	1750		200	21
BRQ-IC-150-33/4	30	1750		200	33
BRQ-IC-200-16/4	18.5	1750		300	16
BRQ-IC-200-20/4	30	1750		400	20
BRQ-IC-200-24/4	30	1750		300	24
BRQ-IC-200-31/4	37	1750		300	31
BRQ-IC-200-43/4-	75	1750		400	43
BRQ-IC-200-47/4	55	1750		300	47
BRQ-IC-200-53/4	75	1750		300	53
BRQ-IC-250-14/4	37	1750		630	14
BRQ-IC-250-17/4	45	1750		630	17
BRQ-IC-250-20/4	55	1750		630	20
BRQ-IC-250-26/4	75	1750		630	26
BRQ-IC-250-32/4	90	1750		630	32
BRQ-IC-250-40/4	110	1750		630	40
BRQ-IC-250-50-4	132	1750		630	50
BRQ-IC-300-15/4	55	1750		900	15
BRQ-IC-300-25/4	90	1750		900	25
BRQ-IC-300-35/4	132	1750		900	35
BRQ-IC-300-55/4	200	1750		900	55
BRQ-IC-32-21G/2	1.5	3500		12.5	21
BRQ-IC-32-33G/2	3	3500		12.5	33

BRQ-IC / INLINE CIRCULATION

Selection data

60 Hz / Rated duty points

Model	Motor kW	Speed rpm	DN mm	Q m³/h	H m
BRQ-IC-40-16G/2	1.1	3500		12.5	16
BRQ-IC-40-20G/2	2.2	3500		20	20
BRQ-IC-40-48G/2	7.5	3500		25	48
BRQ-IC-50-15G/2	1.5	3500		20	15
BRQ-IC-50-24G/2	3	3500		25	24
BRQ-IC-50-32G/2	3	3500		12.5	32
BRQ-IC-50-39G/2	4	3500		12.5	39
BRQ-IC-50-59G/2	7.5	3500		12.5	59
BRQ-IC-50-70G/2	18.5	3500		50	70
BRQ-IC-50-81G/2	22	3500		50	81
BRQ-IC-65-20G/2	3	3500		30	20
BRQ-IC-65-30G/2	5.5	3500		40	30
BRQ-IC-65-61G/2	18.5	3500		50	61
BRQ-IC-65-85G/2	30	3500		50	85
BRQ-IC-80-18G/2	4	3500		50	18
BRQ-IC-80-29G/2	7.5	3500		50	29
BRQ-IC-80-38G/2	15	3500		80	38
BRQ-IC-80-47G/2	18.5	3500		80	47
BRQ-IC-80-54G/2	22	3500		80	54
BRQ-IC-100-9/2	2.2	3500		50	9
BRQ-IC-100-17/2	5.5	3500		80	17
BRQ-IC-100-27/2	11	3500		100	27
BRQ-IC-100-40/2	18.5	3500		100	40
BRQ-IC-100-52/2	30	3500		130	52